

SCANNING UNIT OPENING INTEGRITY REPORT - CANVASS CENTER CC-02

State of Maryland

Complete ALL Grey Areas

2020 Presidential General

County: Howard

CV Date: 10/14/2020

Canvass Center: Howard County BOE Office Training Room

CV Scanning Day: 1

1. Reattach ALL locks to original location after opening and closing.
2. On Day 1, attach the Zero Report with Configuration Report from each Scanning Unit to this report.
3. On Day 1, post a Zero Report from each Scanning Unit for public viewing.
4. On Days 2-8 verify ALL seal and lock numbers, in addition to the protected and public counts.
Attach the Configuration Report from each scanning unit to this report.

Remember: If any tamper tape or seal is removed from the scanning unit during voting hours, attach the removed tamper tape or seal to the Tamper Tape/Security Seal Removal Report and explain why the tamper tape or seal was removed.

Scanning Unit #	A. Main Ballot Box Lock #		B. Reattached Main Ballot Box Lock #		C. Emergency Ballot Compartment Lock #		D. Reattached Emergency Ballot Compartment Lock #		E. Left Case Seal # (DO NOT REMOVE)		F. Right Case Seal # (DO NOT REMOVE)	
	Verify	✓	Verify	✓	Verify	✓	Verify	✓	Verify	✓	Verify	✓
2	2281	✓	2281	✓	2859	✓	2859	✓	B000627	✓	B000628	✓
3	2123	✓	2123	✓	2248	✓	2248	✓	B000635	✓	B000636	✓
4	2385	✓	2385	✓	2710	✓	2710	✓	B000691	✓	B000692	✓
5	2164	✓	2164	✓	2918	✓	2918	✓	B000631	✓	B000632	✓

Scanning Unit #	G. Scanning Unit Lid Lock #		H. Scanning Unit Serial #		I. Rear Access Door Tamper Tape # (DO NOT REMOVE)		J. Front Access Door Tamper Tape # (DO NOT REMOVE)		K. Public Count		L. Protected Count	
	Verify	✓	Verify	✓	Verify	✓	Verify	✓	Verify	✓	Verify	✓
2	2733	✓	DS0315321269	✓	14-031635	✓	14-078176	✓	0	✓	4480	✓
3	2626	✓	DS0315330137	✓	14-014076	✓	14-014034	✓	0	✓	4178	✓
4	2219	✓	DS0315320321	✓	14-038357	✓	14-038355	✓	0	✓	5666	✓
5	2328	✓	DS0315321217	✓	14-51821	✓	14-010380	✓	0	✓	4507	✓

To the best of our knowledge, the information on this report is true and accurate.

Assisting Staff: _____

Walter A. Maddox
Floor Supervisor

Randy Clifton
Assistant Floor Supervisor

Vote-by-Mail Canvass DS 850 Scanner Opening & Closing Certificate

State of Maryland

2020 Presidential General

County: Howard

Canvass Center:

Howard County BOE Office-Training Room

Canvass Date: 10/14/2020

CV Scanning Day: 1

CANVASS OPENING

Complete ALL Grey Areas

1. Attach the daily Zero Report from DS850 to this report.
2. Post the other Zero Report for public viewing.
3. Verify ALL tampere tape numbers, in addition to the public counter at opening.
4. At closing place the removed tampere tapes on back of this form, record new ones and the final public counter

DS850 Unit #	DS850 Serial #	Power Tamper Tape #	Memory Stick Tamper Tape #	Middle R. Side Tamper Tape #	Bottom R. Side Tamper Tape #	Public Counter
	Verify	Verify	Verify	Verify	Verify	Verify
1	D58514090140	1451331	1451332	1452049	1452050	0

14-042536

14-042535

14-042534

14-042533

CANVASS CLOSING

DS850 Unit #	New Power Tamper Tape #	New Memory Stick Tamper Tape #	Middle R. Side Tamper Tape #	Bottom R. Side Tamper Tape #	Public Counter
	Record	Record	Verify	Verify	Record
1	14-076440	14-076439	1452049	1452050	0

14-042534

14-042533

To the best of our knowledge, the information on this report is true and accurate.

Walter H. Maddox Jr.
Floor Supervisor

Board President

Randy Clinton
Assistance Floor Supervisor

Board Member

SCANNING UNIT CLOSING INTEGRITY REPORT
CANVASS CENTER CC-02
2020 Presidential General

State of Maryland

County: Howard

Canvass Center: Howard County BOE Office Training Room

CV Date: 10/14/2020

CV Scanning Day: 1

- ☒ Reattach ALL locks removed during closing activities to their original location.
☐ Complete all gray areas as needed for each table.

Scanning Unit #	A. Removed Emergency Ballot Comp. Lock #		B. Reattached Emergency Ballot Comp. Lock #		C. Removed Main Ballot Box Lock #		D. Reattached Main Ballot Box Lock #		E. Public Count	F. Protected Count	G. Number of VACs
	Verify	✓	Verify	✓	Verify	✓	Verify	✓	Record	Record	Record
2	2859		2859		2281		2281		1000	5480	
3	2248		2248		2123		2123		1045	5220	
4	2710		2710		2385		2385		1282	6948	
5	2918		2918		2164		2164		1317	5824	

Scanning Unit #	H. Rear Access Door Tamper Tape # (Do Not Remove)		I. Front Access Door Tamper Tape # (Do Not Remove)		J. Reattached Scanning Unit Lid Lock #		K. Left Case Seal # (DO NOT REMOVE)		L. Right Case Seal # (DO NOT REMOVE)	
	Verify	✓	Verify	✓	Verify	✓	Verify	✓	Verify	✓
2	14-031635	✓	14-028578 076445		2733	✓	B000627	✓	B000628	✓
3	14-014076	✓	14-014034 070344 466		2626	✓	B000635	✓	B000636	✓
4	14-038357	✓	14-038355 010467		2219	✓	B000691	✓	B000692	✓
5	14-51821	✓	14-010380 060696		2328	✓	B000631	✓	B000632	✓

To the best of our knowledge, the information on this report is true and accurate.

Assisting Staff: _____

Walter A. Maddox
Floor Supervisor

Randy Cleator
Assistant Floor Supervisor

Ballot Transfer Bin Closing Integrity Report

PG20 Mail-In Ballot Canvass

Location: Howard Co.

Canvass Date: 10-14-20

Canvassing Count Center: Office

Instructions: Either at the end of each canvassing day or when a transfer bin has become full, record the requested information in the below table. Verify ballot bin(s) or containers have been locked and properly sealed with the numbers recorded in below table. Complete ALL grey areas as needed

DS200 or DS850 Unit #	Record Transfer Bin or Container #	Record Total Number of Ballots	Record Front Bin Seal Number	Record Rear Bin Seal Number
1	3	4109	0016085 0016087 0016079	0016086 0016088 0016089
2	1	1000	0016073	0016074
3	1	1045	0016076	0016075
4	1	1282	0016078	0016077
5	1	1317	0016071	0016072

To the best of our knowledge the information on this form is true and correct. Floor and Assistant Floor Supervisors must sign when completed.

Walter H. Maddox
Floor Supervisor

Randy Clinton
Assistant Floor Supervisor

Local Board of Elections: Howard County

State of Maryland

2020 Presidential General

CANVASS CENTER OPENING/CLOSING CERTIFICATE

Canvass Center #: Lake Elkhorn Middle School
Gym

Date: 10/14/2020

CV Day#: 3

Complete ALL Grey Areas as needed

We hereby certify that:

DOOR	OPENING					CLOSING
	Seal # at Opening	Initials of TWO judges and BOE Rep to confirm door seals were intact when polls opened				Seal # at Closing
	VERIFY	✓	REP	DEM	BOE	RECORD
1	801554	✓	RS	mw	J.W.	801553 ✓
2	801555	✓	RS	mw	J.W.	801552 ✓
3	801377	✓	RS	mw	J.W.	801377
4	801558	✓	RS	mw	J.W.	801558
5						
6						
7						
8						
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

NOTE: If the seal number does not agree or there is evidence of tampering call the Election Office immediately (410-313-5820).

To the best of our knowledge this information is true and correct.

Floor Supervisor

Assistant Floor Supervisor

SCANNING UNIT OPENING INTEGRITY REPORT CANVASS CENTER CC-01

State of Maryland

Complete ALL Grey Areas

2020 Presidential General

County: Howard

CV Date: 10/14/2020

Canvass Center: Lake Elkhorn Middle School Gym

CV Scanning Day: 1

1. Reattach ALL locks to original location after opening and closing.
2. On Day 1, attach the Zero Report with Configuration Report from each Scanning Unit to this report.
3. On Day 1, post a Zero Report from each Scanning Unit for public viewing.
4. On Days 2-8 verify ALL seal and lock numbers, in addition to the protected and public counts.
Attach the Configuration Report from each scanning unit to this report.

Remember: If any tamper tape or seal is removed from the scanning unit during voting hours, attach the removed tamper tape or seal to the Tamper Tape/Security Seal Removal Report and explain why the tamper tape or seal was removed.

Scanning Unit #	A. Main Ballot Box Lock #		B. Reattached Main Ballot Box Lock #		C. Emergency Ballot Compartment Lock #		D. Reattached Emergency Ballot Compartment Lock #		E. Left Case Seal # (DO NOT REMOVE)		F. Right Case Seal # (DO NOT REMOVE)	
	Verify	✓	Verify	✓	Verify	✓	Verify	✓	Verify	✓	Verify	✓
6	2997	✓	2997	✓	2644	✓	2644	✓	B000689	✓	B000690	✓
7	2940	✓	2940	✓	2617	✓	2617	✓	B000629	✓	B000630	✓
8	2072	✓	2072	✓	2453	✓	2453	✓	B000657	✓	B000658	✓
9	2682	✓	2682	✓	2881	✓	2881	✓	B000779	✓	B000778	✓
10	2702	✓	2702	✓	2957	✓	2957	✓	B000625	✓	B000626	✓
11	2498	✓	2498	✓	2501	✓	2501	✓	B000655	✓	B000656	✓
12	2030	✓	2030	✓	2408	✓	2408	✓	B000653	✓	B000654	✓
13	5594	✓	5594	✓	2888	✓	2888	✓	B000823	✓	B000820	✓
14	2454	✓	2454	✓	2368	✓	2368	✓	B000617	✓	B000618	✓
15	2079	✓	2079	✓	2723	✓	2723	✓	B000807	✓	B000806	✓
16	2861	✓	2861	✓	2303	✓	2303	✓	B000567	✓	B000568	✓
17	2092	✓	2092	✓	2981	✓	2981	✓	B000798	✓	B000797	✓
18	2656	✓	2656	✓	2429	✓	2429	✓	B000788	✓	B000787	✓
19	2207	✓	2207	✓	2220	✓	2220	✓	B000805	✓	B000796	✓
20	2273	✓	2273	✓	2231	✓	2231	✓	B000809	✓	B000808	✓
21	2765	✓	2765	✓	2143	✓	2143	✓	B000804	✓	B000803	✓

SCANNING UNIT OPENING INTEGRITY REPORT CANVASS CENTER CC-01

State of Maryland

Complete ALL Grey Areas

2020 Presidential General

County: Howard

CV Date: 10/14/2020

Canvass Center: Lake Elkhorn Middle School Gym

CV Scanning Day: 1

Scanning Unit #	G. Scanning Unit Lid Lock #		H. Scanning Unit Serial #		I. Rear Access Door Tamper Tape # (DO NOT REMOVE)		J. Front Access Door Tamper Tape # (DO NOT REMOVE)		K. Public Count		L. Protected Count	
	Verify	✓	Verify	✓	Verify	✓	Verify	✓	Verify	✓	Verify	✓
6	2084	✓	DS0315321254	✓	14-031583	✓	14-031582	✓	0	✓	5732	✓
7	2811	✓	DS0315330436	✓	14-51823	✓	14-031887	✓	0	✓	2468	✓
8	2426	✓	DS0315320327	✓	14-51862	✓	14-031556	✓	0	✓	6019	✓
9	2664	✓	DS0314410341	✓	14-077738	✓	14-010371	✓	0	✓	12151	✓
10	2031	✓	DS0315321033	✓	14-51819	✓	14-033081	✓	0	✓	3428	✓
11	2095	✓	DS0315330266	✓	14-041246	✓	14-034427	✓	0	✓	3602	✓
12	2260	✓	DS0315330159	✓	14-042879	✓	14-041268	✓	0	✓	3388	✓
13	5497	✓	DS0315412438	✓	14-077722	✓	14-010590	✓	0	✓	5965	✓
14	2877	✓	DS0315321083	✓	14-077800	✓	14-010209	✓	0	✓	8420	✓
15	2530	✓	DS0315410578	✓	14-077783	✓	14-010398	✓	0	✓	3904	✓
16	2894	✓	DS0315330149	✓	14-077780	✓	14-014010	✓	0	✓	8974	✓
17	2670	✓	DS0318360661	✓	14-077778	✓	14-016527	✓	0	✓	4851	✓
18	2680	✓	DS0318361340	✓	14-077774	✓	14-010353	✓	0	✓	3518	✓
19	2575	✓	DS0315400462	✓	14-077728	✓	14-034243	✓	0	✓	3410	✓
20	2657	✓	DS0315400263	✓	14-077727	✓	14-031688	✓	0	✓	3801	✓
21	2099	✓	DS0315350013	✓	14-077725	✓	14-031671	✓	0	✓	4111	✓

To the best of our knowledge, the information on this report is true and accurate.

Assisting Staff: _____

Floor Supervisor

Assistant Floor Supervisor

SCANNING UNIT CLOSING INTEGRITY REPORT
CANVASS CENTER CC-01
2020 Presidential General

State of Maryland

County: Howard

Canvass Center: Lake Elkhorn Middle School Gym

CV Date: 10/14/2020
CV Scanning Day: 1

- ☒ Reattach ALL locks removed during closing activities to their original location.
☐ Complete all gray areas as needed for each table.

Scanning Unit #	A. Removed Emergency Ballot Comp. Lock #		B. Reattached Emergency Ballot Comp. Lock #		C. Removed Main Ballot Box Lock #		D. Reattached Main Ballot Box Lock #		E. Public Count	F. Protected Count	G. Number of VACs
	Verify	✓	Verify	✓	Verify	✓	Verify	✓	Record	Record	Record
6	2644	✓	2644	✓	2997	✓	2997	✓	1066	6798	1066
7	2617	✓	2617	✓	2940	✓	2940	✓	374	2842	374
8	2453	✓	2453	✓	2072	✓	2072	✓	224	6243	224
9	2881	✓	2881	✓	2682	✓	2682	✓	1069	13220	1069
10	2957	✓	2957	✓	2702	✓	2702	✓	1400	4828	1400
11	2501	✓	2501	✓	2498	✓	2498	✓	1367	4969	1367
12	2408	✓	2408	✓	2030	✓	2030	✓	1390	4779	1390
13	2888	✓	2888	✓	5594	✓	5594	✓	1249	7214	1249
14	2368	✓	2368	✓	2454	✓	2454	✓	1237	9657	1237
15	2723	✓	2723	✓	2079	✓	2079	✓	1395	5299	1395
16	2303	✓	2303	✓	2861	✓	2861	✓	1393	10367	1393
17	2981	✓	2981	✓	2092	✓	2092	✓	1014	5865	1014
18	2429	✓	2429	✓	2656	✓	2656	✓	1122	4640	1122
19	2220	✓	2220	✓	2207	✓	2207	✓	1361	4771	1361
20	2231	✓	2231	✓	2273	✓	2273	✓	1106	4907	1106
21	2143	✓	2143	✓	2765	✓	2765	✓	1394	5505	1394

**SCANNING UNIT CLOSING INTEGRITY REPORT
CANVASS CENTER CC-01
2020 Presidential General**

State of Maryland

County: **Howard**

Canvass Center: **Lake Elkhorn Middle School Gym**

CV Date: **10/14/2020**

CV Scanning Day: **1**

Scanning Unit #	H. Rear Access Door Tamper Tape # (Do Not Remove)	I. Front Access Door Tamper Tape # (Do Not Remove)	J. Reattached Scanning Unit Lid Lock #	K. Left Case Seal # (DO NOT REMOVE)	L. Right Case Seal # (DO NOT REMOVE)
	Verify ✓	Verify ✓	Verify ✓	Verify ✓	Verify ✓
6	14-031583 ✓	14-031582 ✓	2084 ✓	B000689 ✓	B000690 ✓
7	14-51823 ✓	14-031887 ✓	2811 ✓	B000629 ✓	B000630 ✓
8	14-51862 ✓	14-031556 ✓	2426 ✓	B000657 ✓	B000658 ✓
9	14-077738 ✓	14-010371 ✓	2664 ✓	B000779 ✓	B000778 ✓
10	14-51819 ✓	14-033081 ✓	2031 ✓	B000625 ✓	B000626 ✓
11	14-041246 ✓	14-034427 ✓	2095 ✓	B000655 ✓	B000656 ✓
12	14-042879 ✓	14-041268 ✓	2260 ✓	B000653 ✓	B000654 ✓
13	14-077722 ✓	14-010590 ✓	5497 ✓	B000823 ✓	B000820 ✓
14	14-077800 ✓	14-010209 ✓	2877 ✓	B000617 ✓	B000618 ✓
15	14-077783 ✓	14-010398 ✓	2530 ✓	B000807 ✓	B000806 ✓
16	14-077780 ✓	14-014010 ✓	2894 ✓	B000567 ✓	B000568 ✓
17	14-077778 ✓	14-016527 ✓	2670 ✓	B000798 ✓	B000797 ✓
18	14-077774 ✓	14-010353 ✓	2680 ✓	B000788 ✓	B000787 ✓
19	14-077728 ✓	14-034243 ✓	2575 ✓	B000805 ✓	B000796 ✓
20	14-077727 ✓	14-031688 ✓	2657 ✓	B000809 ✓	B000808 ✓
21	14-077725 ✓	14-031671 ✓	2099 ✓	B000804 ✓	B000803 ✓

To the best of our knowledge, the information on this report is true and accurate.

Assisting Staff: _____

Floor Supervisor

M. White
Assistant Floor Supervisor

Ballot Transfer Bin Closing Integrity Report

PG20 Mail-In Ballot Canvass

Location: Howard Co.

Canvass Date: 10/14/20


Canvassing Count Center: Lake Elkhorn Middle School Gym

Instructions: Either at the end of each canvassing day or when a transfer bin has become full, record the requested information in the below table. Verify ballot bin(s) or containers have been locked and properly sealed with the numbers recorded in below table. Complete ALL grey areas as needed.

DS200 or DS850 Unit #	Record Transfer Bin or Container #	Record Total Number of Ballots	Record Front Bin Seal Number	Record Rear Bin Seal Number
6	1	1066	0016490	0016491
7	1	374	0016492	0016493
8	1	224	0016494	0016495
9	1	1069	0016496	0016497
10	1	1400	0016498	0016499
11	1	1367	0016481	0016480
12	1	1390	0016483	0016482
13	1	1249	0016485	0016484
14	1	1237	0016487	0016486
15	1	1395	0016489	0016488
16	1	1393	0016471	0016470
17	1	1014	0016473	0016472
18	1	1122	0016475	0016474
19	1	1361	0016477	0016476
20	1	1106	0016479	0016478
21	1	1394	0016461	0016460

To the best of our knowledge the information on this form is true and correct. Floor and Assistant Floor Supervisors must sign when completed.

Floor Supervisor



Assistant Floor Supervisor